



Leaders in Advanced Textiles and Insulation Solutions

www.temprotec.com

Tempro Tec Textiles for Removable and Reusable Insulation Covers

PRODUCT	FABRIC CONSTRUCTION	WEIGHT OZ/YD ²	TEMPERATURE RESISTANCE	WIDTH/LENGTH
---------	---------------------	---------------------------	------------------------	--------------

ALUMINIZED				
AGL 2025/9383 Aluminized	100% Fiberglass Aluminum Foil Laminate	18	Fabric: 1000°F Adhesive: 300°F	60" x 50 yds 48" x 50 yds
AGL 2025/9480 Aluminized	100% Fiberglass Aluminum Foil Laminate	19.5	Fabric: 300°F Adhesive: 300°F	60" x 50 yds
4011 Aluminized	100% Fiberglass Aluminum Foil Laminate	22	Fabric: 500°F Adhesive: 300°F	50" x 50 yds

FIBERGLASS				
1959-603A FG Cloth	100% Fiberglass	12	1000°F	60" x 50 yds
GL3001 FG Cloth White	100% Fiberglass	30	1000°F	40" x 50 yds 60" x 50 yds

SILICONE				
3100-2-SS Silicone Cloth	100% Fiberglass Silicone Rubber Coating	17.5	-67°F-500°F	60" x 50 yds
3101-2-SS Silicone Cloth	100% Fiberglass Silicone Rubber Coating	15	-67°F-500°F	60" x 50 yds
3200SA Silicone Impregnated Cloth	100% Fiberglass Silicone Rubber Coating	17	-65°F-500°F	60" x 50 yds
SAF17-602 Silicone Cloth TT	Silicone Rubber	17	1000°F	60" x 50 yds

SGL TECCON [®]				
TecCone [®] SGL1400	100% Fiberglass	14	Fabric 1000°F Coating 500°F	38" x 50 yds 60" x 50 yds
TecCone [®] SGL1700	100% Fiberglass	17	Fabric 1000°F Coating 500°F	60" x 50 yds
TecCone [®] SGL3200	100% Fiberglass	32	Fabric 1000°F Coating 500°F	37" x 50 yds 60" x 50 yds



Leaders in Advanced Textiles and Insulation Solutions

www.temprotec.com

Tempro Tec Textiles for Removable and Reusable Insulation Covers

PRODUCT	FABRIC CONSTRUCTION	WEIGHT OZ/YD ²	TEMPERATURE RESISTANCE	WIDTH/LENGTH
---------	---------------------	---------------------------	------------------------	--------------

TEFLON				
FCF 1650 Teflon Cloth	Fiberglass Fluorocarbon Coating	16.5 (+10%)	-150°F-600°F	60" x 50 lyds
FCF 1650C Teflon Cloth	Fiberglass Fluorocarbon Coating	16.5 (-10%)	-150°F-600°F	60" x 50 lyds
EJ1650 Teflon Cloth	Fiberglass PTFE Coating	16.5	600°F	60" x 50 lyds

TECSTAR®				
TecStar® 18	Fiberglass Vermiculite Coating	18	1000°F Remains Stable to 1500°F	60" x 50 lyds
TecStar® 24	Fiberglass Vermiculite Coating	24	1000°F Remains Stable to 1500°F	40" x 50 lyds 60" x 50 lyds
TecStar® 32	Fiberglass Vermiculite Coating	32	1000°F Remains Stable to 1500°F	40" x 50 lyds 60" x 50 lyds
TecStar® 6000-1	Fiberglass Vermiculite Coating Silicone Coating	75	1000°F Remains Stable to 1500°F	40" x 50 lyds 60" x 50 lyds



Leaders in Advanced Textiles and Insulation Solutions

www.temprotec.com

Tempro Tec Textiles for Removable and Reusable Insulation Covers

PRODUCT	FABRIC CONSTRUCTION	WEIGHT OZ/YD ²	TEMPERATURE RESISTANCE	WIDTH/LENGTH
SILICA				
2221-96 Irish Silica Cloth	Silica	40	2300°F	33" x 50 lyds
UC100-48 Silica Cloth	Silica	18	1800°F	36" x 50 lyds
UC100-96 Silica Cloth	Silica	36	1800°F	36" x 50 lyds
AR100-48 Silica Cloth	Silica	20	1800°F	36" x 50 lyds
AR100-96 Silica Cloth	Silica	40	1800°F	36" x 50 lyds
TecSil® 1200C Silica Cloth	Silica	12.5	1800°F	36" x 50 lyds
TecSil® 1800 Silica Cloth	Silica	18	1800°F	36" x 50 lyds
TecSil® 2400 Silica Cloth	Silica	24	1800°F	36" x 50 lyds
TecSil® 3600 Silica Cloth	Silica	36	1800°F	36" x 50 lyds
TecSil® 4000C Silica Cloth	Silica	40	1800°F	39" x 50 lyds



Leaders in Advanced Textiles and Insulation Solutions

